



**SPECIAL SIZES AVAILABLE!**

Contact Stockton Custom Fabrication at (877) 786-2587

**EXTRUDED**


## OCT-FCP: Outside Corner Transition for Fiber Cement Panel

- Available in Aluminum Alloy (6063 T-5)

The OCT-FCP Outside Corner Transition molding creates a straight and true, outside corner with exposed flanges that cover the vertical ends of the fiber cement panels. Provides a transition from a single fiber cement panel to two layers of lap siding.

**Note:** Attach panel per manufacturer's recommended installation instructions.

**Note:** Not to be used in horizontal applications.




### Most Common Sizes

**X Sizes:** 3/8"

**Y Sizes:** 3/4"

**Length:** 10'




### Most Common Part Numbers:

**OCT FCP375 75EPC** OCT-FCP: X=3/8, Y=3/4, Powder Coat, AL, 10'

**OCT FCP375 75EC** OCT-FCP: X=3/8, Y=3/4, Clear Anod, AL, 10'

**OCT FCP375 75EK** OCT-FCP: X=3/8, Y=3/4, Fluorophore Paint, AL, 10'


**OCT FCP375 75ES** OCT-FCP: X=3/8, Y=3/4, Stripped Finish, AL, 10'



## PCM: Plaster Corner Molding

- Available Curved Upon Request
- Available in Aluminum Alloy (6063 T-5)

Creates a plaster stop and high strength corner for conventional 3-coat stucco with an aesthetically pleasing exposed edge at all outside corner conditions.



### Most Common Sizes

**X Sizes:** 3/4"

**Y Sizes:** 3/4", 7/8" or 1 5/8"

**Length:** 10'



### Most Common Part Numbers:

**PCM1625EC** PCM: X=3/4, Y=1 5/8, Powder Coated, AL, 10'

**PCM75EB** PCM: X=3/4, Y=3/4, Black Anodize, AL, 10'

**PCM75EC** PCM: X=3/4, Y=3/4, Clear Anodize, AL, 10'

**PCM75EK** PCM: X=3/4, Y=3/4, Fluorophore Paint, AL, 10'